

Amendments to the Specification:

Please replace paragraph [0005] with the following amended paragraph:

[0005] FIG. 2. ~~Displays~~ Shows microchip ~~or inverter~~ / program chip 2, illuminate films 3, ~~back panel~~ 4 EL, LED, OLED, and liquid crystal 5, ~~illuminate films~~ 6 and lamine wires connection 7.

Please replace paragraph [0006] with the following amended paragraph:

[0006] FIG. 3. Show microchip ~~or inverter~~ / program chip 2, illuminate films 3,4,5 and 6 with wire connection and neon gas tubing 8.

Please replace paragraph [0010] with the following amended paragraph:

[0010] FIG. 7. Display new home device with illuminate letters and numbers wire connection 7 inside window, attach to frame of house, microchip ~~or inverter~~ / program chip 2 beside window glass 3, 4, 5 or 6 showing illuminate numbers and letters wind activates.

Please add the following new paragraph after paragraph [0010]:

[0010.1] FIG. 8. Display glass 1A and 1B with illuminate film.

Please add the following new paragraph after paragraph [0010.1]:

[0010.2] FIG. 9. Show keyboard 9 to be use to type in different phase numbers and letters inside windows glass.

Please replace FIG. 2, 3 and 6 in paragraph [0011] with the following amended paragraph:

[0011] FIG. 2. Show microchip ~~or inverter~~ / program chip 2, to ~~operate 3~~ illuminate films that can be place inside of window glass, ~~4 back panel inside window and~~ EL, LED, OLED and, liquid crystal ~~5 and 6 inside window glass illuminate film 6~~ and laminate wiring connection 7.

[0011] FIG. 3. Show neon gas tubing 8 at top and microchip ~~or inverter~~ / program chip 2 displaying illuminate films 3, 4, 5 and 6 inside window glass, ~~also displaying back panel 4 inside window glass, LC EL LED and OLED 5 and 6 also display inside a window~~ glass along with wiring connection 7 to input various advertisement messages via wind activate.

[0011] FIG. 6. Basically the same as FIG. 5 now restaurant can advertise as for as buffets special are served daily by using this net device 3, 4, 5 and 6 to illuminate inside window glass along with microchip ~~or inverter~~ / program chip 2 to program illuminate letters and numbers along with connection 7.

Please add FIG. 8. in paragraph [0011]:

[0011] FIG. 8. Is a cross section of fig. 2 showing glass 1A and 1B with illuminating films to be laminate as one whole glass

Please add FIG. 9 in paragraph [0011]:

[0011] FIG. 9. Showing a keyboard 9 to be use like a keyboard for compute for businesses to type various advertisement messages inside of windows glass.

BRIEF DESCRIPTION OF THE DRAWING

[0004] FIG. 1. Displays two pieces of glass, inner layer 1A and outlayer 1B before glass is made as one whole glass.

[0005] FIG. 2. Shows microchip / program chip 2, illuminate films LC, EL, LED, OLED and laminate wires connection 7.

[0006] FIG. 3. Show microchip / program chip 2, illuminate films 3,4,5 and 6 with wire connection and neon gas tubing 8.

[0007] FIG. 4. Displays neon gas tubing 8 and paper sign 9.

[0008] FIG. 5. Basically same as FIG. 4, advertising new displays inside a windows glasses frame only notice wind activated.

[0009] FIG. 6. Same as FIG. 4 and 5 is advertising new display.

[0010] FIG. 7. Display new home device with illuminate letters and numbers wire connection 7 inside window, attach to frame of house, microchip / program chip 2 beside window glass 3, 4, 5 or 6 showing illuminate numbers and letters wind activates.

[0010.1] FIG. 8 . Display glass 1A and 1B with illuminate film.

[0010.2] FIG. 9. Show keyboard 9 to be use to type in different phase numbers and letters inside windows glass.

DESCRIPTION OF THE PREFERRED EMBODIMENT

[0011] FIG. 1. Displays two pieces of glass to make one whole glass for window glass, (inside glass 1A and outside glass 1B).

FIG. 2. Show microchip / program chip 2, illuminate films that can be place inside of windows glass EL, LED, OLED, liquid crystal and laminate wiring connection 7. FIG. 3. Show neon gas tubing 8 at top and microchip / program chip 2 displaying illuminate films 3, 4, 5 and 6 inside window glass along with wiring connection 7 to input various advertisement messages via wind activate. FIG. 4. Show basically how advertising is done today by using neon gas tubing 8 and paper signs 9. FIG. 5. Basically the same as FIG. 3 there's no limitation of what a business can advertise inside window glass, able to change phrase for new displays by using

2,3,4,5,6 and 7. FIG. 6. Basically the same as FIG. 5 now restaurant can advertise as for as buffets special are served daily by using this net device 3, 4, 5 and 6 to illuminate inside window glass along with microchip / program chip 2 to program illuminate letters and numbers along with connection 7. FIG. 7. This device is also for homes as homes address being hard to locate or see at night time, by using this device 3, 4, 5 and 6 you can now illuminate your home address when needed. FIG. 8. Is a cross section of FIG. 2 showing glass 1A and 1B with illuminating films to laminate as one whole glass. FIG. 9. Showing keyboard 9 to be use like a keyboard for compute. Businesses to type various advertisement messages inside of windows glass.